

MIND MAP.... CAFE

USER PERSPECTIVE

• BRAND
(IDENTITY)

• ACOUSTICS
NEED TO BE
WELL BALANCED
NOT TOO LOUD, NOR
TOO QUIET. 🎵

• PRIVACY: SPACE
↓
BETWEEN THE TABLE
FOR THE SAFETY AND
PRIVACY OF THE
CUSTOMER. ♦

• RESTROOMS



↓ VLOG*

• SELFIE CORNERS.
• CONCEPT BASED
FUN SPACES
TO CHILL OUT.

• GOOD CUSTOMER
SERVICE

• LIGHTING FEEL
WARM AND CALM. 💡

↓
• BEAUTIFUL COLOUR
COMBINATIONS
• GOOD FOOD
YUM!
YUM!

↓
• GOOD AROMA
• ELEGANT
FURNITURES

↓
• GOOD VIEW.
• RELAXING AND
AESTHETIC INTERIORS
THAT MAKES CUSTOMER
FEEL GOOD.



MIND MAP

CAFE

DESIGN PERSPECTIVE

- BRANDING
- RECEPTION
- PRIVACY
 - ENOUGH SPACE BETWEEN THE TABLES.

- LIGHTING:
 - PSYCHOLOGICAL IMPACT
 - GOOD AMBIANCE
- BASED ON THE WHOLE THEME AND DESIGN

- SUFFICIENT VENTILATION.
- ZONING: 60% DINING AND 40% REST OF THE SPACES.

- KITCHEN:
 - UTILITY SPACE
 - SPACIOUS STATION.
 - GOOD STORAGE.
- ACOUSTICS:
 - GOOD MUSIC

- FLOORING:
 - GOOD FLOORING
 - NON-SLIPPERY AND TRENDY.
- ENTRY/EXITS:
 - USER/SPACIOUS/FRIENDLY

- ELECTRICITY AND WATER SUPPLY
- COMFORT FEEL AND WIFI
- SEPARATE ENTRY AND EXIT

- EYE-CATCHING DESIGN THAT ATTRACTS CUSTOMER.
- RESTROOMS:
 - INBUILT AIR FRESHNER DISPENSARY

- FALSE CEILING ARE VERY TRENDY
- GOOD AROMA
- GOOD CHOICE OF WALL COLOURS.

- POST-PANDAMIC VALUES:
 - FOLLOWING PROPER DISTANCE
 - USE OF MASK
 - ANALYZING: NOT MUCH GATHERING

- SAFETY: CCTV
- JANITOR ROOM

- NATURE IMPACT
- IN-BUILT AIR PURIFIERS.



QUESTIONS REVEAL THE CONTEXT OF USE.

- THE PEOPLE
- THEIR TASKS
- TOOLS AND TECHNOLOGY
- ENVIRONMENT

HOW

1) → DISTRIBUTION OF COLOURS WILL BE BASED ON THE THEME, BALANCE, AND AMBIANCE.

2) → THE DESIGN WILL BE IMPLEMENTED ONCE THE THEME, AND DESIGN PERSPECTIVE DO'S/DON'TS ARE CLEAR.

1) → THE PLACEMENT OF THE FURNITURE WILL BE BASED ON THE SPACE DESIGN AND ALSO THE USER'S STORAGE REQUIREMENT.

2) → THE THEME WILL BE IMPLEMENTED BASED ON THE SELECTION OF THE THEME AND BUDGET FRIENDLY.

1) → THE PROPER CONSTRUCTION OF BASE AND SPACES.

2) → IT IS BASED ON NO. OF WORKERS WORKING AND THE ABILITY TO COMPLETE THE WORK IN GIVEN TIME.

Q.1) HOW WILL YOU DISTRIBUTE THE COLOUR COMPOSITION?

Q.2) HOW THE DESIGN WILL BE IMPLEMENTED?

WHERE


Q.1) WHERE THE FURNITURE BE PLACED?

Q.2) WHERE IT IS (THEME) GOING TO BE IMPLEMENTED?

WHEN

Q.1) WHEN TO START, AND WHAT TO START FIRST?

Q.2) WHEN THE WORK WILL BE COMPLETED?



5W1H

WHO

1) → KIDS, ADULTS, STUDENTS, TEENAGERS, OLD AGE

Q.1) WHO ARE THE USER PEOPLE -S?/CUSTOMER?

Q.2) WHO ARE RESPONSIBLE FOR THE THEMED DESIGN?

2) → THE HEAD DESIGNER IS RESPONSIBLE FOR CREATING A WELL-BASED EYE-CATCHING THEMES.

WHY

Q.1) WHY THE SPACE SHOULD BE PROPERLY MANAGED?

Q.2) WHY WE SHOULD MOSTLY FOCUS ON DESIGN?

1) → PROPER SPACE MANAGEMENT CREATES PROPER SPACE FOR EACH NEEDS AND SAVES MOST OF THE SPACE TO BE UTILISED AND ORGANISED.

WHAT

2) → THIS EMPHASIS BRING IDEAS TO LIFE BASE ON FEEL, BEHAVE, THINK

Q.1) WHAT ARE THE REQUIREMENTS?

Q.2) WHAT TYPE OF COLOUR SCHEME WILL BE USED?

1) → THE REQUIREMENTS INCLUDES THE SPACE TO BE MORE ORGANIZED, LOW MAINTANANCE, ACCESSIBLE, SUSTAINABLE AND ACCORDING TO THEIR NEEDS.

2) → THE COLOUR SCHEME WILL BE BASED ON THE DESIGN AND THEME CHOOSSEN.

INSPIRATION SKETCHES




WOODEN STICKS
ARE MOULDED IN OVAL
SHAPE FOR MAKING
A LIGHTING BULB.

YELLOW LINES
MADE ←
FROM ICE-
CREAM STICKS

A BIG WOODEN
STICK
↑




BLACK AND WHITE
MADE OF ICE-CREAM
STICKS 3D PATTERN



BACK
REST

ICE-CREAM
STICK IS
USED TO
MAKE THIS
SEATER



MUSHROOM
SHAPED - TABLE


INSPIRATION
SKETCHES



WOODEN SEATING




CUSHION CHAIR




FOLDING CHAIR



3 in 1 Table



→ 3D
WALL MURAL
ART USING
ICE-CREAM
STICKS. ←
↑



ICE-CREAM
STICKS USED
FOLDABLE CHAIR





NATURE INSPIRED HANGED BOXES AND CHAIRS CAN BE DONE USING ICE-CREAM STICKS



• PRIVACY DEPICTED USING WOODEN BARRIERS



WOODEN LANTERNS AND BAR COUNTER + CHAIR



WOODEN STRIPS BENDED AND ARE JOINED TOGETHER




WOODEN BARRIERS ARE DESIGNED LIKE WAVES.

INSPIRATION II
BOARD




• THIS BEAUTIFUL WALL PATTERN CAN BE CREATED USING STICKS



• THIS WOODEN LANTERN TREE IS UNIQUE


• WOODEN BARRIER STRUCTURE




• A WOOD MADE TENT.

INSPIRATION

BOARD



• THIS BAR COUNTER WITH



• THIS ILLUSION ART IS INSPIRING AND CAN BE RECREATED USING WOODEN MEDIUM.

INSPIRATION BOARD...



- WOODEN CHADELER AND WOODEN PYRAMID SHAPED DIVISIONS.



- ABSTRACT WOODEN WALL ART.



- WOODEN KITCHEN DIVISIONS.




- GREENISH VERTICAL PANELS STUCK TOGETHER.



RESTAURANT KITCHENS...


STANDARDS...




FUNCTIONS AND ORGANISATION




ORGANISATION OF COLD KITCHEN



WAITER WALKWAY



BASIC ORGANISATION



KITCHEN FOR RESTAURANT




KITCHEN FOR (600-1000) RESTAURANT




(150-200) MEALS

KITCHEN - AREA CLASSIFICATIONS




Kitchen area classification and relationship of functional areas in the cold kitchen system (if work is done in vegetable preparation, the meat preparation is separated from the cold kitchen area)





RESTAURANT KITCHEN FUNCTIONS

KITCHEN: ORGANISATION




COLD STORE


DIFFERENT PREPARATIONS




SNACK BAR



CAFE-RESTAURANT



HOTEL KITCHEN




WITH BUFFET



SELF-SERVICE

• SELF-SERVICE




1 Self-service restaurant

• SELF-SERVICE




1 Self-service restaurant

• FREE-FLOW




1 Free-flow restaurant

• SELF-SERVICE



1 Self-service restaurant


• DISHWASHING AREA



1 Informal, sorting table; 2 sink; 3 waste receptacle; 4 pre-rinse; 5 dishwasher; 6 discharge table; 7 storage area


12 Dishwasher and drying area

• DISHWASHING AREA



1 Informal, sorting table; 2 sink; 3 waste receptacle; 4 pre-rinse; 5 dishwasher; 6 discharge table; 7 storage area

12 Dishwasher and drying area




1 Container transport system

• CONTAINER TRANSPORT



1 Combi steamer unit. Foods are cooked or finished on trays

• COMBI STEAMER



- 1 automatic assembly dispenser and tray withdrawal (dispensing from heated container below, punched card reading device)
- 2 main distribution conveyor
- 3 electronically controlled serving tray for potatoes
- 4 illuminated display for electronic card reader
- 5 rack tray for desserts
- 6 electronically controlled serving tray for meat
- 7 electronically controlled serving tray for vegetables
- 8 rack tray for salads
- 9 illuminated display for special diets
- 10 supplementary conveyor for special diets
- 11 automatic sauce dispenser
- 12 nutmeg dispenser
- 13 soup plate dispenser
- 14 automatic soup dispenser
- 15 dispenser for heat-retaining container lids
- 16 automatic closing device for soup plate covers
- 17 control desk for staff assistant
- 18 automatic tray stacker
- 19 tray distribution tray

1 Food serving system

• FOOD SERVING



1 Food service, cafeteria

• CAFETERIA

STANDARDS.....




1 Automatic pass-through cooker

2 Automatic pass-through roaster

• AUTOMATIC PASS-THROUGH COOKER

• AUTOMATIC PASS-THROUGH ROASTER

- 1 Ventilation ceiling
- 2 Shelves for casseroles and takers
- 3 Work surface/cooker
- 4 Floor unit with built-in oven or refrigerator





1 Section through working area

• SECTION THROUGH WORKING AREA

TYPES AND SIZES


STANDARDS TABLE ARRANGEMENTS




	O	L	W	A
LUXURIOUS	21"	18"	18" x 20"	16"
INTERMEDIATE	17" x 20"	16"	16"	16"
ECONOMICAL	17" x 16"	15"	14"	16"

CHAIR DIMENSIONS






LUXURIOUS



INTERMEDIATE



ECONOMICAL



CHAIR-AND-TABLE UNITS (OCCUPIED)

MIN. WIDTH: 36" MIN. CIRCULATION: 48" MIN. CIRCULATION: 48" MIN. CIRCULATION: 48" MIN. CIRCULATION: 48"







TABLE ARRANGEMENTS



2 PEOPLE




2 PEOPLE




2 PEOPLE



4 PEOPLE



4 PEOPLE



4 PEOPLE



4 PEOPLE



4 PEOPLE




4 PEOPLE

LUXURIOUS SEATING SUCH AS DINING IN A FINE RESTAURANT


INTERMEDIATE SEATING CAPTAINS RESTAURANT TO 30 FILL PERSON

ECONOMICAL SEATING SUCH AS BANQUET TO 50 FILL PERSON



SQUARE SPACING


SERVICE AISLES: SQUARE SEATING 36" MIN. BTH TABLE TOPS 24" AISLE PLUS TWO CHAIRS BACK TO BACK 36" CHAIRS 17" TO 18" FROM FLOOR TO SEAT, 17" HIGHER FOR WOMEN



DIAGONAL SPACING

SERVICE AISLES: DIAGONAL SEATING 30" MIN. BTH CORNERS OF TABLE TOPS

STANDARDS



Seating for 2:




TABLE ARRANGEMENTS






Fig. 8 33 ft x 22 ft, 726 ft², seats 26.

CIRCULATION




Fig. 9 11 ft x 26 ft, 306 ft², seats 12.









TABLE: DESIGN CRITERIA



BANQUETTE ARRANGEMENTS

STANDARDS TYPES AND SIZES




Fig. 11 Mixed Banquette seating.




Fig. 12 Banquettes for 2, 4, and 6 persons.






Fig. 13 21 ft x 9 ft, 189 ft, seats 12.

• BANQUETTE SEATING



• CIRCULATION



• CIRCULATION




Fig. 15 19 ft x 9 ft, 171 ft, seats 12.






Fig. 16 19 ft x 15 ft, 285 ft, seats 24.

• ACTIVITY AREA / CIRCULATION

STANDARDS...



SECTION
Fig. 26 Banquette seating.



LOW DENSITY
Fig. 27 Banquette seating





Fig. 2B


- BANQUETTE / BENCH SETTING DETAILS

- BANQUETTE: DESIGN CRITERIA




1 PLAN PLTND 2888'S
PLATFORM 1A OFFICE
AG 8-1-68

2 PLAN PLTND 2888'S
PLATFORM 8 ENTRY
AG 8-1-68



SECTION: PLYWOOD BEATING PLATFORM











Fig. 29



SECTION OF BRIDGE "E"
SCALE 1/8" = 1'-0"


- BANQUETTE/BENCH SETTING DETAILS

STANDARDS




SCALE 1" = 10'


68. 400-400-4000
BY F.L.M.
T.S.G. 1999. KJ7-10




SECTION 2




PLAN SECTION 3



A ELEVATION OF SERVING ISLAND




SECTION THRU HOOD



CC SECTION THRU SERVING COUNTER


The diagram shows a room layout with several human figures representing occupants. A horizontal line divides the space into a 'Circulation Workzone' above and a 'Circulation Zone' below. A 'Sitting Zone' is indicated by a dashed line with arrows labeled 'L' and 'R'. A curved line at the top right is labeled 'Line of Back Counter Or Nearest Obstruction', and a curved line at the bottom right is labeled 'Line of Nearest Obstruction'. Human figures are positioned in various ways: some are sitting at a counter, some are standing, and one is lying down. The diagram illustrates how circulation zones and seating zones are defined and how they relate to each other and to obstructions in a room.

The diagram illustrates the design of a workstation for a person with a back counter. It shows three figures: a standing person, a person at a counter, and a seated person. The workstation is divided into three zones: Work/Activity Zone (C), Sitting Zone (E), and Circulation Zone (B). Dimensions are labeled: F (Back Counter height), G (Counter height), H (Seated person height), and X (Footrest height). The diagram also shows a stool and a footrest.




- LUNCH COUNTER:
CASHIER STATION

STANDARDS




PLAN

SCALE $\frac{1}{4}$ IN. = 1' 0"


PLAN

SCALE 1/4" = 1'-0"




ELEVATION A

440.2 92.170*




ELEVATION B

SCALE 3" = 100'





ELEVATION E


SCALE 1" = 10'



IN WATER SPACES 11612

① CONTESTABLE INTERESTS 01/10/12

ON A HOT WATER (NORTH)



① CRACK SECTION AT HOOF CENTER (DO)

- CAFETERIA: COUNTER PLANS, ELEVATIONS AND DETAILS

- HOST COUNTER DETAILS

WHEEL CHAIR

STANDARDS





Fig. 22 Dining room chairs should have a seat 10 1/2" to 11 1/2" below the top of the table and armrests 7" to 8" above the seat. To coordinate with an accessible table, the seat height should be 18". Numbers in parentheses are dimensions in centimeters.



Kneespace Width	Clearance
2'-6" (minimum)	3'-6"
3'-0" or greater	3'-0"

Fig. 24 A portable raised leaf can be provided for accessible tables to accommodate customers in wheelchairs with high armrests. Numbers in parentheses are dimensions in centimeters.



Fig. 23 Accessible tables should provide kneespace at least 2' 2" high by 2' 6" wide with 1' 7" of footroom. To increase the kneespace height, a raised portable leaf can be provided. (See Fig. 24.) Numbers in parentheses are dimensions in centimeters.




Fig. 25 The necessary maneuvering room required to access a kneespace depends on its width.




Fig. 34 Cafeteria lines should be wide enough to accommodate guests in wheelchairs. Food and beverages should be within a convenient vertical and horizontal reach. Numbers in parentheses are dimensions in centimeters.











Fig. 35 A plate slide is recommended at salad bars and a kneespace at the counter. A mirrored surface above the bar is a further aid to guests in wheelchairs. Numbers in parentheses are dimensions in centimeters.


WHEELCHAIR ACCESSIBILITY

STANDARDS




RECEPTION


STANDARDS




1 PLAN - RECEPTION DESK (4 REQUIRED)
SCALE: 1/4" = 1'-0"



2 ELEVATION - RECEPTION DESK
SCALE: 1/4" = 1'-0"




3 ELEVATION - RECEPTION DESK
SCALE: 1/4" = 1'-0"




4 ELEVATION - RECEPTION DESK
SCALE: 1/4" = 1'-0"




5 ELEVATION - RECEPTION DESK (LOW WORK SURFACE)
SCALE: 1/4" = 1'-0"




6 ELEVATION - RECEPTION DESK (WORK SURFACE)
SCALE: 1/4" = 1'-0"




7 PLAN - SECTION 13 RECEPTION DESK DOOR
SCALE: 1/4" = 1'-0"



ELEVATION



PLAN RECEPTION DESK



SECURE MARBLE DIE BASE & TOP TO WOOD FRAME WITH DOWEL PIN & ADHESIVE

BAR

3 STANDARDS




Fig. 4 U shape, 10 ft x 11 ft, 176 sq ft, seats 9.







Fig. 5 Straight-enclosed, 20 ft x 10 ft, 200 sq ft, seats 9.



Octagon





VERTICAL SECTION
LIQUOR STORAGE UNIT

VERTICAL SECTION-
DRINK RAIL

SECTION-
PICK UP STATION

STANDARDS





VERTICAL SECTION-LOBBY BAR

Hand-drawn architectural section drawing of a wall and floor assembly. The drawing shows a vertical wall section on the left and a horizontal floor section on the right. The wall section includes a window opening with a frame and a sill. The floor section shows a concrete slab with various layers and reinforcement. Dimensions are given in feet and inches. Annotations include material specifications and construction details.

Annotations:

- SEE 02/28-4 FOR WINDOW SCHEDULE
- SEE ELEVATIONS FOR WINDOW SCHEDULE
- TRANSOMENT FUTURE WINDOW - 20" x 20"
- INTERMEDIATE SUPPORT CORNER LOCATION OF FLOOR
- WOOD BLOCKS
- BRUSHED 4" COUNTER TOP (BY OTHERS) C.C. TO COORDINATE W/ C.I.E.
- 2" THICK 6" BRACKET SUBMIT FOR DRAWINGS AND SAMPLES TO IBD FOR APPROVAL PRIOR TO FABRICATION
- 2" DIA. BRUSHED 6" HTL TUBING
- PROVIDE CONT. 12" x 36" BRACKET AT DECK/ST. MOUNTING
- 2" CLIP (6" ONIT. SPACE)
- 2" PLATE W/ 1/2" PLAS. LAM. FAS. AND EDGES & 1/2" PLAS. LAM. DRESS.
- 2" PLATE W/ 1/2" PLAS. LAM. FAS.
- 1/2" HTL W/ 10" AC.
- 1/2" FLE. FLOOR RECESSES TO 20" DIA. PAD
- 2" BIRCH PLYWD. 1/2" FAS.
- 2" TIE CORN. CASE
- 2" THIN SOT
- GRANT AD. 2" TIE HANDLE DRAIN
- TIE FLOOR
- PORTAL DED EXIST'G CONC. SLAB
- LIGHT WEIGHT CONC. PAD


- PLANS




7. DETAIL SECTION THRU PAV. COUNTER & RAISED PAV.
 1.8 9" x 1'-0" NOTE: NO SURFACES INDICATING NO SPIT AND TO BE INTERPRETATION










SECTION AT BAR




STANDARDS




STANDARDS







BACK BAR SECTION




SECTION AT CURVED BAR




VERTICAL SECTION AT BAR




SECTION AT BAR




SECTION THROUGH BAR



SECTION THROUGH BAR




BAR SECTION




BAR SECTION

STANDARDS




BAR AND BACK-BAR




BAR / SECTION

STANDARDS



PLAN



PARTIAL VERTICAL SECTION 1/2" SCALE

Fig. 25

STANDARDS




Fig. 6: Straight bar: 25 ft x 10 ft, 250 ft², seats 8.




Fig. 9: L-shape: 30 ft x 12 ft, 360 ft², seats 15.




Fig. 7: Angular: 30 ft x 12 ft, 320 ft², seats 10.




Fig. 10: Angular: 16 ft x 16 ft, 256 ft², seats 11.

cardboard



PROJECT: CARDBOARD
DESIGNED BY: NUDES / BY NURU KAR

MATERIAL USED: CARDBOARD

LOCATION: MUMBAI


CAFE : TYPE

YEAR : 2019



• INDIAN ARCHITECTURE STUDIO 'NUDES' HAS BUILT AN ENTIRE CAFE IN MUMBAI USING CARDBOARD TO PROVE ITS VERSATILITY AS AN ENVIRONMENTALLY FRIENDLY MATERIAL.

• EVERYTHING APART FROM CARDBOARD'S CORE, SHELL AND SERVICES IN THE CAFE HAS BEEN MADE FROM CARDBOARD. WALLS, CHAIRS AND EVEN LAMP SHADES HAVE ALL BEEN SCULPTED FROM PIECES



• THE CURVING AND FLUTED SHAPES OF THE FURNISHINGS ARE FORMED BY MULTIPLE LAYERS OF CARDBOARD PRECISION CUT TO PRODUCE THE DESIRED SHAPE.



• THE CAFE TOOK APPROXIMATELY NINE MONTHS TO COMPLETE, INCLUDING THREE MONTHS OF INTENSIVE RESEARCH AND DEVELOPMENT.

• TIME IS MONEY AND THE PRESSURE WAS ON US, TO DELIVER IN TIMELY FASHION NOT ONLY A RADICAL AREA/IDEA, BUT ALSO A WORKING SELF SUSTAINING SOLUTION, DAYS KAREN.

NOW, HOW MUCH CARDBOARD DID THEY USE IN THE 152 SQUARE METER?

→ "CORRUGATED CARDBOARD WAS SOURCED BY JAYNA PACKAGING - AND APPROXIMATELY 20,000 SQUARE FEET OF THE CARDBOARD OF VARIOUS THICKNESSES WAS USED.



PRODUCTS, LIGHT, FIXTURES, BRANDING, PANELING, MIRROR FRAMES, SIGNAGES, FURNITURE, ACCESSORIES AND EVEN STRUCTURAL SKIN WERE FABRICATED FROM IT.



• THE FUN PART IS THAT IT IS NOT JUST HARDWORKING, IT IS ALSO GOOD LOOKING.

• "THE IDEA WAS TO MEANDER THROUGH "CORRUGATED CARDBOARD CAVERNS" WHICH ARE SENSORY, TACTILE AND IMMERSIVE IN NATURE."





• THE FOOD, BEING INFLUENCED BY THE CHEF YUNG DHANANI, IS A LOVELY MIX OF INGREDIENTS AND STYLES.


• SOME OF ITS MENU IS BEING SOURCED FROM PLANTATIONS IN THE SOUTH.

• THE PLENTY OF OPTIONS ARE EVEN HEALTHY JUICES THAT ARE DESIGNED BY DENSITY GOING FROM THIN TO THICK INSPIRED BY THE LAYERS OF CARDBOARD.

• THESE STRONGLY ADVOCATES BEING SUSTAINABLE, WHERE TAKEAWAYS ARE SERVED IN PAPER BOXES, AND THERE'S NO PLASTIC THAT YOU CAN SEE.

• WILL FUTURE PLANS THAT INVOLVE A FOOD WASTAGE SYSTEM BEING SET UP.

• IT'S BASICALLY TERMED AS "EXPLORATION"



• EVEN THE PLATES AND BILLS, IS ENTIRELY MADE OUT OF CARDBOARD.

• CREATIVITY HAS NO END.

• THE SOUND-ABSORBING QUALITY OF CARDBOARD WAS AN ADDED ADVANTAGE FOR THE NOISY CAFATARIA ENVIRONMENT.

PLAN



LOCATED
IN MUMBAI'S CENTRAL BUSINESS DISTRICT
OF BANDRA KURLA COMPLEX, THE CAFE 'CARDBOARD',
IS SITED IN BKC, MUMBAI, PRIME REAL ESTATE,
WHICH COMMANDS EXTREMELY HIGH RENTALS.

- THE ENTRY IS DENOTED AS ①.

- FROM NO. ② HOSTERS ARE THERE.





- IN NO. ③ HIGH BAR TABLES ARE PLACED.

- IN NO. ④ DINING AREA IS PLACED.

- IN NO. ⑤ BAR AREA IS PLACED


- NO. ⑥ IS BASICALLY THE BACK SIDE OF THE CAFE (i.e.) KITCHEN

- ⑦ and ⑧ ARE BASICALLY LADIES AND GENTS WASHROOM




STRUCTURE


• CARDBOARD



MICRO



TWEEN




MICRO



SLICED AT
30°





SLICED AT
45°






- TREATED CORRUGATED CARDBOARD WAS SUBJECTED TO THE ELEMENTS - EXTREME TEMPERATURE, HEAT, HUMIDITY, MOISTURE, WATER, OIL, COFFEE, AND EVEN SAUCY SPAGHETTI.


- CORRUGATED CARDBOARD DISPLAYED INCREDIBLE CHARACTER, STANDING TALL, IT'S CORRUGATED HEARTBEAT BEAMING WITH PRIDE.



THE MOST EXCITING PART WAS THAT IT WAS REQUIRED TO APPROACH THE MATERIAL AS STUDENTS, CONSTANTLY DIVING INTO STUDY AND RESEARCH WHICH INCLUDED PROTOTYPING AND TESTING THE MATERIAL IN REAL WORLD CONSTRAINTS INCLUDING HUMIDITY, WATER RESISTANCE AND TEMPERATURE FLUCTUATIONS.



FOR EXAMPLE: THE TABLE-TOPS ARE IMPREG-NATED WITH WAX TREATMENT TO PREVENT WATER ABSORPTION AND FACILITATE EASE OF MAINTANANCE.





- "CARDBOARD" A MATERIAL OF HUMBLE ORIGINS HAS STOOD THE TEST OF TIME AND HAS BEEN DELIBERATELY INJECTED INTO THE GLASS MONOLITHIC ARCHITECTURE.
- THE SPACE EVOLVES INTO A VIBRANT HUB FOR DIALOGUE AND CONVERSATION ON THE ROLE OF DESIGN, MATERIAL AND TECHNOLOGY IN PROTECTING THE EARTH'S RESOURCES TOWARDS A SUSTAINABLE FUTURE.

CONCLUSION

Geolden Egg



PROJECT: GOLDEN EGG CAFE'

ARCHITECTS: MH ARCHITECTS

AREA: 115 M²

YEAR: 2020

PHOTOGRAPHS: BALLSMEDIA

LOCATION: CZECH REPUBLIC



• THE INTERIOR, BASED IN AN OPEN TWO STOREY SPACE, MIXES TOGETHER VERY ROUGH BUILDING MATERIALS, USED IN UNIQUE WAYS TOGETHER WITH SMOOTH PASTEL COLORS AND A LITTLE BIT OF LUXURY IN VARIOUS GOLD DETAILS.

• MOST OF THE FURNITURE IS MADE FROM CONCRETE BLOCKS, USUALLY USED TO HOLD UP TERRAIN.



• TOGETHER WITH SMOOTH WOODEN TOPS, THEY ARE USED AS A BAR OR TABLES.

• THESE BLOCKS ARE NOT JUST FUN TO WORK WITH:

"IT IS A DURABLE BUILDING MATERIAL THAT WILL LAST FOR ALMOST AN ETERNITY!"



- THERE ARE MANY MORE UNORTHODOX FEATURES TO THIS PLACE.

- ONE OF THEM IS THE IMPLEMENTATION OF SERRATED PLASTER ON WALLS.

- THE TRANSFORMED IDEA OF A CLASSIC FACADE GLUE.

- THE WALLS ARE ALSO COVERED WITH SERRATED PLASTER AS WELL AS ALSO WITH Horákova's INSTALLATION OF CERAMIC PLATES.


- IT PERCEIVE CLAY AS THE SOIL THAT GIVES THE BASIS OF EXISTENCE.



- THE ORGANIC SHAPE INDICATES THE CIRCLE OF LIFE.

- EARTHY TONES FOLLOW SHADES OF THE REST OF THE INTERIOR.

- THE EXHIBITION LEVIATES AND CREATES PLASTICITY, THEREFORE, PLAYING WITH LIGHT AND SHADOWS "DESCRIBES THE AUTHOR OF THE DESIGN."



• MOST OF THE FURNITURE WAS ALSO DESIGNED TO FIT THE GOLDEN EGG VISION.

• THE MOST NOTABLE PIECE IS A BENCH RESEMBLING PERCH, WHERE EVERYBODY BECOMES A BIRD FOR A MOMENT.



• GOLDEN EGG OFFERS PEOPLE THE OPTION TO ENJOY THEIR MEAL IN A BEAUTIFUL ADJACENT GARDEN.

• THEY SIT AT A BIG TABLE ARCHING AROUND A FULL GROWN TREE.



• THE FURNITURE IS MINIMALISTIC AND REPRESENTS AN ABSTRACT CONCEPT OF HOW WE PERCEIVE THE DINING AND SITTING ELEMENTS.

• BESIDES, THIS A CONCRETE EXHAUST WAS COMPLETELY TURNED AROUND FROM AN UNPLEASANT OLD GREY CUBE INTO THE BAR TABLE WITH A NOURISHING FLOWERBED IN IT'S CORE.




PLAN

• THESE CAFE IS LOCATED IN CZECH REPUBLIC.

• IT HAVE TWO FLOORS OUT OF WHICH IN THE FIRST FLOOR

- FROM NO. ② STAIRCASE IS THERE WHICH LEADS TO NO. ① OPEN SPACE, NO. ③ SEATING ZONE, NO. ④ PLATFORM SEATING AND HAVE NO. ⑤ AS WOMEN'S TOILET AND NO. ⑥ MEN'S TOILET.



• IN GROUND FLOOR,

- NO. ① - ENTRY.


- NO. ② - BASICALLY SEATING ZONE.

- NO. ③ - ORDERING ZONE.

- NO. ④ - KITCHEN AND NO. ⑤ - CORRIDOR

- NO. ⑥ - STAIRCASE AND NO. ⑦ - PATIO.

- NO. ⑧ - GARDEN.





• THIS IS LOCATED ON THE GROUND FLOOR OF A 90 YEARS OLD BUILDING, CURRENTLY CALLED 'RADOST' TRANSLATED AS 'JOY'.

• IT FOLLOWS THE FUNCTIONALIST ROOTS OF THE BUILDING WITH ITS INTERIOR DESIGN, ONLY ADDING SO MANY NEW FEATURES TO KEEP THE FEEL OF THE ORIGINAL BUILDING.

CONCLUSION



Ciclo Cafe





PROJECT: CICLO CAFE
 PLACE: CHENNAI, TAMIL NADU
 YEAR: 2015
 CEO: ASHISH THADANI
 AREA: 11000 SQ. FT.


INDIA'S FIRST CYCLING CAFE CHAIN,
 CICLO CAFE IS A HUB FOR CYCLING
 ENTHUSIASTS ACROSS INDIA THAT PROVIDES
 TOP-CLASS LIFESTYLE FACILITIES FOR SALES
 AND SERVICE OF PREMIUM BICYCLES AND
 HOSPITALITY.

UNIQUE CONCEPT, THAT GRABBED
 THE ATTENTION OF MANY
 YOUNGSTERS AND FAMILIES.

AMBIENCE IS AESTHETICALLY
 PLEASING.

HAS A VALET PARKING.
 ONE CAN EXPECT PRIVACY,
 WITH NO ONE EAVES DROPPING.





- VERY GOOD SPACE MANAGEMENT, ALONG WITH THE THEME BASED CYCLE INSTALLATION
- SERVICES OFFERED INCLUDES, - WIFI, A.C, VALET PARKING, HOME DELIVERY AND MANY MORE.
- THE INTERIORS ARE ADORNED WITH CYCLES AS WELL AS PARTS NOT JUST TO DECORATE WALLS BUT ALSO CREATE LIGHT FIXTURES SEATING.

- WALL ART AND BASES FOR TABLES.

- A VERY **EARTHY** WARM COLOUR TONE HAS BEEN USED THROUGH THE ENTIRE SPACE WITH RUST PATTERNED CEMENT TILES AND EXPOSED BRICK WALLS.



- WALNUT LAMINATED WOODEN FLOORING WITH EXPOSED BRICK WALLS GIVE A RUSTIC VIBE.

- DESIGNERS HAVE REALLY PAID ATTENTION TO EACH AND EVERY DETAIL



Conclusion



- TALES OF POKES, CHAINS AND RIMS.
- INFUSES THE RICH HISTORY OF CYCLES.
- CYCLE CHAINS MAKE THE CHANDELIERS WHILE THE CYCLE RIMS MAKE FOR LIGHTNING FIXTURES.
- FRONT POKES OF CYCLE DOUBLE UP AS TABLE TOPS.
- THE DESIGN USED: VINTAGE + CONTEMPORARY.

The Summer House






PROJECT: THE SUMMER HOUSE

AREA : 1200 SQ FT.

LOCATION: CHENNAI, ALWARPET
TAMIL NADU.


- SUMMER HOUSE EATERY IS PET-FRIENDLY CAFE. IT IS PERFECT FOR FOODIES WHO CAN EAT THESE FEASTS OUT.



- THE MODISH AND CONTEMPORARY INTERIORS OF THE RESTO AN EXTREMELY SOOTHING AND ELEGANT AMBIENCE.



- THE MAIN THEME USED IS NATURE THEME.

- THE CAFE IS ON THE GROUND FLOOR OF A CO-WORKING SPACE CALLED TWO TREES.





- DECOR DEFINES CLASS, COMFORT, AND CREATIVITY.

- PARKING SPACE IS IN FRONT.



- BEVERAGE SERVING AREA.

- THE CAFE HAS ITS KITCHEN ON THE RIGHT SIDE WITH THE STORAGE BESIDE.



- THE FLOORING HAS LINES GOING IN BLACK AND WHITE, CERAMIC TILES.

- PETAL SHAPED CHAIR SEATING.



- OUTDOOR DINING, SMOKING AREA, VALET PARKING.